

Notice of Allowability

Application No.

09/802,342

Examiner

Rodney G. McDonald

Applicant(s)

FERRANTI ET AL.

Art Unit

1753

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to After Final Amendment filed 10-17-03.
2. ☒ The allowed claim(s) is/are 1-11, 14-19.
3. ☒ The drawings filed on 09 March 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
* Certified copies not received: _____.
5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
(a) ☐ The translation of the foreign language provisional application has been received.
6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☐ CORRECTED DRAWINGS must be submitted.
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
1) ☐ hereto or 2) ☐ to Paper No. _____.
(b) ☐ including changes required by the proposed drawing correction filed _____, which has been approved by the Examiner.
(c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1 ☐ Notice of References Cited (PTO-892)
3 ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
5 ☐ Information Disclosure Statements (PTO-1449), Paper No. _____.
7 ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 2 ☐ Notice of Informal Patent Application (PTO-152)
4 ☐ Interview Summary (PTO-413), Paper No. _____.
6 ☐ Examiner's Amendment/Comment
8 ☒ Examiner's Statement of Reasons for Allowance
9 ☐ Other



RODNEY G. McDONALD
PRIMARY EXAMINER

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

Claims 1-11 are allowable over the prior art of record a method of repairing a defect area of a lithography mask using focused ion beam having a beam diameter, the method comprising: directing the focused ion beam toward first pixel locations in the defect are, the first pixel locations being separated by a first distance that is greater than the beam diameter; and directing the focused ion beam toward first pixel locations in the defect area, the first pixel locations being separated by a second distance, the second distance being less than the first distance and sufficiently small to produce a substantially flat surface.

Claims 14-19 are allowable over the prior art of record because the prior art of record does not teach a method of using a focused ion beam to remove material from an area of a substrate, comprising: scanning an ion beam within the area to produce an uneven surface, but not within a boundary region at the edge of the area, said scanning an ion beam within the are to produce an uneven surface including directing the focused ion beam toward first pixel locations within the area, but not within a boundary region at the edge of but within the area, the first pixel location being separated by a first distance that is greater than the beam diameter; scanning an ion beam within the area to produce a substantially flat surface, said scanning an ion beam within the are to produce a substantially flat surface including directing the focused ion beam toward second pixel locations within the area, the second pixel locations being separated by a second distance, the second distance being less than the first distance and sufficiently

Application/Control Number: 09/802,342
Art Unit: 1753

Page 3


small to produce the substantially flat surface; and directing an etch gas toward the are while scanning the ion beam to produce a substantially flat surface.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rodney G. McDonald whose telephone number is 703-308-3807. The examiner can normally be reached on M- Th with Every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam X. Nguyen can be reached on 703-308-3322. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.


Rodney G. McDonald
Primary Examiner
Art Unit 1753

RM
November 4, 2003